




OUTLINE

USED ON:						
MATERIAL:	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	<u>P/N SUFFIX DEFINITION</u> -1 CONVERSION COATING -2 PAINTING -3 MARKING -R REWORK	THE CONTENTS OF THIS DOCUMENT ARE PROPRIETARY TO NAVITAR, ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST FOR QUOTATION OR PERFORMANCE OF WORK FOR NAVITAR	<div> NAVITAR</div> <div>ROCHESTER, NEW YORK</div>		
	TOLERANCES AS FOLLOWS	SCALE: 1:1				
FINISH:	DEC. .XXX ± .005	DR: DJM	<div>0.0 inch 1.0</div> <div></div>	ZOOM 6000 NON F.F. NON COAX ULTRA-ZOOM		
	DEC. .XX ± .010	CH:				
	FRACT. ± 1/64	APP:				
	ANGLES ± 30°	DATE DR: 6/19/2002				
	CONCENTRICITY .003 TIR	DO NOT SCALE DRAWING	<div></div>	SIZE	REV	
CHAMFER ALL THREADS 30° TO ROOT DIAMETER	BREAK ALL SHARP EDGES .005 MIN. .010 MAX.			A	1-60349 _OL	B
	MAX. SURF. ROUGHNESS: 32 √					
					SHEET 1 OF 1	